

**Metropolitan Washington Airports Authority**  
**PROCUREMENT AND CONTRACTS DEPT.**  
**AMENDMENT OF REQUEST FOR QUOTATIONS**

Metropolitan Washington Airports Authority Procurement and Contracts Dept., MA-29-IAD Washington Dulles International Airport 45025 Aviation Drive, Suite 240 Dulles, VA 20166	<b>1A. AMENDMENT OF RFQ NO.</b>	<b>1B. DATED</b>
	<b>RFQ-19-12795</b>	<b>June 6, 2019</b>
	<b>2A. AMENDMENT NO.</b>	<b>2B. EFFECTIVE DATE</b>
	<b>ONE (0001)</b>	<b>June 13, 2019</b>
The Request for Quotations identified in Block 1A is amended as set forth in Block 3. Hour and date specified for receipt of quotations <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Quoters must acknowledge receipt of this amendment prior to the hour and dated specified in the RFQ or as amended, by one of the following methods: (a) by completing Block 4 and returning copy of the amendment; (b) by acknowledging receipt of this amendment on the Request for Quotations form, Block 11. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF QUOTATIONS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR QUOTATION.		
<b>3. DESCRIPTION OF AMENDMENT</b>		
The purpose of this amendment is to correct the specifications for Items 01 and 02, provided at Attachment 01 to the RFQ. A correction has been made to each of the specifications as follows:		
<ol style="list-style-type: none"> <li>1. Specification for Item 01 for the crew cab truck: The word "extended" in the description of line 1 is replaced with the word "crew".</li> <li>2. Specification for Item 02 for the extended cab truck: The "11,500" pounds GVWR in the description of line 3 is replaced with "11,300".</li> </ol>		
Two replacement pages are attached, one page each for Specification.		
Except as provided herein, all terms and conditions of the document referenced in Block 1A, as heretofore changed, remain unchanged and in full force and effect.		
<b>4A. NAME AND TITLE OF QUOTER</b>	<b>4B. SIGNATURE</b>	<b>4C. DATE</b>

**PURPOSE:** It is the intent of this specification to describe a new, current model year, 1 ton, crew cab, 4-wheel drive truck with utility body and lift gate. This document shall indicate in general, the type, size, and quality desired. Any components or equipment not specifically mentioned in this specification, but are required for this vehicle to completely perform the intended function are to be furnished as if it were part of the specification. **All components, assemblies, and parts shall be new and unused. Remanufactured components, assemblies, and parts are unacceptable.**

**INSTRUCTIONS:** 1. Complete this form and submit with offer. Circle YES or NO for compliance with each specification. If NO, briefly describe EXCEPTION. If additional space is required, use Attachment 3, Exceptions to Specifications.

**A. CAB / CHASSIS:** As a reference, the unit as described herein shall have the pertinent salient characteristics of a Ford F-350 Super Duty that meets or exceeds the following specification.

ITEM	SPECIFICATION	YES	NO	IF "NO" PROVIDE DETAILS
1.	The truck shall have a <b>crew</b> cab, 1-ton, 4 wheel drive, single rear wheel chassis.	YES	NO	
2.	<b>The cab and body panels shall be made from high-strength, military-grade, aluminum-alloy.</b>	YES	NO	
3.	GVWR 11,400 lbs. minimum	YES	NO	
4.	179.4" Wheel Base, C/A 60"	YES	NO	
5.	The engine shall be a gasoline powered V8 with a minimum displacement of 6.2 liters.	YES	NO	
6.	Automatic Transmission 10-speed with overdrive to include factory installed heavy duty transmission cooler	YES	NO	
7.	<b>The truck shall be equipped with a monobeam front axle with coil spring suspension. The truck shall be equipped with a solid rear axle with leaf spring suspension.</b>	YES	NO	
8.	The axles shall have a gear ratio of 3.73:1. The rear axle shall have a factory installed electronic locking differential.	YES	NO	
9.	Two speed transfer case	YES	NO	
10.	Factory standard front hubs	YES	NO	
11.	Brakes: Power, 4 wheel disc, 4 wheel ABS	YES	NO	
12.	Power Steering	YES	NO	
13.	Alternator shall be 200 Amp minimum	YES	NO	
14.	LT275/70R18 All Terrain Radial black sidewall tires.	YES	NO	
15.	Full size matching spare tire, wheel, and jack	YES	NO	
16.	Fuel capacity shall be 40 gallons minimum	YES	NO	
17.	Factory air conditioning / heater / defroster system with replaceable cab filter	YES	NO	
18.	Manual folding and manual telescoping power trailer tow mirrors with heated glass, heated convex spot mirrors, and integrated clearance lamps and turn signals	YES	NO	
19.	Factory installed upfitter Switches ( <b>6 minimum</b> )	YES	NO	
20.	AM/FM radio with digital clock	YES	NO	
21.	40/20/40 vinyl split bench seat with folding center console which includes armrest, storage, and cup holders, dark gray upholstery. Rear vinyl bench seat.	YES	NO	

**PURPOSE:** It is the intent of this specification to describe a new, current model year, 1 ton, extended cab, 4-wheel drive truck with utility body and lift gate. This document shall indicate in general, the type, size, and quality desired. Any components or equipment not specifically mentioned in this specification, but are required for this vehicle to completely perform the intended function are to be furnished as if it were part of the specification. **All components, assemblies, and parts shall be new and unused. Remanufactured components, assemblies, and parts are unacceptable.**

**INSTRUCTIONS:** 1. Complete this form and submit with offer. Circle YES or NO for compliance with each specification. If NO, briefly describe EXCEPTION. If additional space is required, use Attachment 3, Exceptions to Specifications.

**A. CAB / CHASSIS:** As a reference, the unit as described herein shall have the pertinent salient characteristics of a Ford F-350 Super Duty that meets or exceeds the following specification.

ITEM	SPECIFICATION	YES	NO	IF "NO" PROVIDE DETAILS
1.	The truck shall have an extended cab, 1-ton, 4 wheel drive, single rear wheel chassis.	YES	NO	
2.	<b>The cab and body panels shall be made from high-strength, military-grade, aluminum-alloy.</b>	YES	NO	
3.	GVWR 11,300 lbs. minimum	YES	NO	
4.	167.5" Wheel Base, C/A 60"	YES	NO	
5.	The engine shall be a gasoline powered V8 with a minimum displacement of 6.2 liters.	YES	NO	
6.	Automatic Transmission 10-speed with overdrive to include factory installed heavy duty transmission cooler	YES	NO	
7.	<b>The truck shall be equipped with a monobeam front axle with coil spring suspension. The truck shall be equipped with a solid rear axle with leaf spring suspension.</b>	YES	NO	
8.	The axles shall have a gear ratio of 3.73:1. The rear axle shall have a factory installed electronic locking differential.	YES	NO	
9.	Two speed transfer case	YES	NO	
10.	Factory standard front hubs	YES	NO	
11.	Brakes: Power, 4 wheel disc, 4 wheel ABS	YES	NO	
12.	Power Steering	YES	NO	
13.	Alternator shall be 200 Amp minimum	YES	NO	
14.	LT275/70R18 All Terrain Radial black sidewall tires.	YES	NO	
15.	Full size matching spare tire, wheel, and jack	YES	NO	
16.	Fuel capacity shall be 40 gallons minimum	YES	NO	
17.	Factory air conditioning / heater / defroster system with replaceable cab filter	YES	NO	
18.	Manual folding and manual telescoping power trailer tow mirrors with heated glass, heated convex spot mirrors, and integrated clearance lamps and turn signals	YES	NO	
19.	Factory installed upfitter Switches ( <b>6 minimum</b> )	YES	NO	
20.	AM/FM radio with digital clock	YES	NO	
21.	40/20/40 vinyl split bench seat with folding center console which includes armrest, storage, and cup holders, dark gray upholstery. Rear vinyl bench seat.	YES	NO	